



ParkLight ECO 120W 14400 lm LED park lamp

(Product ID: 546)



Model name: ParkLight ECO

Rated power: 120W

Light bulb equivalent: 800W

Supply voltage: AC 220-240V, 50/60Hz

Luminous flux: 14400 lm

Luminous flux (useful): 13200 lm

Light output: 120 lm/W

Directional light source: yes

Illumination angle: °, 100°

Light color: neutral 4000K

CRI coefficient: Ra80

Leakage class: IP65

Dimmable: not

LED type: Sanan

Power supply: linear, embedded

Housing color: black

Material: aluminum body, tempered glass

Mounting system: pole max Ø64 mm

Flickerfree: yes

Class of insulation: I

Ambient temperature: -30°C to +50°C

Mechanical strength: IK05

Surge protection: L/N/PE: 2KV

Lifetime [h]: 25000

Warranty: 24 months

Dimensions: Ø380 x 120 mm

Weight: 2.9 kg

Unit packaging dimensions: 40 x 40 x 15 cm

Package weight: 3.4 kg

SKU code: 48029

EAN code: 5906647990405

Certificates: CE, EMC, LVD, RoHS



Economical LED park light for home gardens and alleys!

ParkLight ECO brands **EnergoMania®** is a modern and energy-efficient park lamp, designed for functional as well as aesthetically pleasing **lighting of gardens, alleys and home spaces**. Minimalist form combined with efficient LED technology provides even, bright light with low energy consumption. The use of high-quality components guarantees stable operation and long life of the luminaire, even in demanding outdoor conditions. Thoughtful design allows quick and convenient **installation on standard lighting poles with diameter up to Ø64 mm**, which makes installation simple and trouble-free.

Durable and cost-effective park luminaire

ParkLight ECO garden lamp with **120W emits a luminous flux of 14400 lm** 💡 (13200 lm at a narrow beam angle of 100°), providing an efficient equivalent of a traditional 800W incandescent bulb (**energy class E**). The most important advantages of the LED park lamp:

- 1 **Aluminiowa housing with ribbed heatsink** - effectively dissipates heat 🔥 ➡ ❄️, protecting diodes from overheating and extending their lifetime. Lamp weight 3 kg 🏋️.
- 2 **Klosz made of tempered glass with gasket** 🛡️ - provides high weather resistance and IP65 💧 sealing.
- 3 **Precyzyjna optical chamber** 🔍 - directs light at an angle of 100°, ideal for evenly illuminating the space around the pole.
- 4 **Barwa neutral 4000K** 🌞 - white light, close to daylight, which faithfully reproduces the colors of the environment and increases the comfort of use.





ParkLight ECO – lampy parkowe LED

Nowoczesne oprawy ogrodowe oparte na wydajnych diodach LED o skuteczności 120 lm/W, przeznaczone do oświetlenia ogrodów, chodników oraz alejek parkowych.



Created for lighting outdoor spaces

Sealed **ParkLight ECO** luminaires are the ideal solution wherever durable, aesthetic and energy-efficient site lighting is important. They are perfect for various outdoor spaces:

🌳 **Gardens and home areas** - subtle and even lighting to highlight architecture and vegetation.

🚶 **Sidewalks and park alleys** - improve safety and comfort of walking after dark.

🏡 **Housing estates and communities** - functional lighting of common spaces and traffic routes.

🏫 **School grounds and public facilities** - reliable light to increase visibility and safety for users.

P **Parking and commercial areas** - effective illumination of spaces without glare.

➡ **When buying a ParkLight ECO lamp, bet on a complete solution and select a StreetPole - click and choose a model from our oferty 🛒.**