Splash-proof workshop extension socket with switch, 5 sockets 2P+E, IP44, rubber cable, H05RR-F 3x1.5mm², 3m

Marka: **Orno** | Symbol: **OR-AE-13298/3M** | Ean: **5908254847233**

PRODUCT DESCRIPTION

Splash-proof workshop extension socket with IP44 protection level and 3m length is an indispensable tool for those looking for reliability and safety at work. Equipped with 5 French type sockets (2P+E) with sealing covers to protect against water and dust. The extension socket also has safety shutters for safe use even in harsh outdoor conditions.

Rubber-insulated cable (H05RR-F 3x1.5mm2), with a 3m length to ensure flexibility and durability in any

ORNO GROUP Sp. z o. o. All rights reserved.

situation. It has 5 protective contacts according to the French standard and an on/off switch for easy control of the power supply.

In addition, the device has a pendant for easy mounting in a safe place, and holes in the base are provided for permanent mounting on the work bench.

The extension socket operates at 230VAC/16A, with a maximum load of 3680W. Made of high-quality plastic with a matt surface, it provides comfort, durability and safety for use. Black color.

TECHNICAL DATA

General information:

Housing shape:	Prostokątny
Number of socket outlets with earth pin:	5
Socket type:	2P+Z
Standard socket:	french (type E)
Current path apertures:	Tak
With on/off switch:	Tak
Supply voltage [V]:	230
Frequency [Hz]:	50
Nominal current [A]:	16
Max. connected load [W]:	3680
Number of conductors:	3
Core cross section [mm²]:	1.5
Cable type:	H05RR-F
Insulation type:	guma
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Surface finishing:	Matowy
Colour:	Czarno-granatowy
Degree of protection (IP):	IP44

ORNO GROUP Sp. z o. o. All rights reserved.

Length of power cord [m]:	3
Dimensions - width [mm]:	107
Dimensions - height [mm]:	415
Dimensions - depth [mm]:	79
Weight [kg]:	0.8

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.