LED Camping light, 200lm+120lm, 500mAh, 2000K/6000K, carabiner, protective cap

Marka: **Virone** | Symbol: **LT-28** | Ean: **5908254851315**

PRODUCT DESCRIPTION

The LED camping light combines the functionality of utility and decorative lighting, working perfectly at the campsite, in the garden, in the gazebo, on the terrace or balcony. The LED light source ensures high luminous efficiency and low energy consumption.

It is equipped with a 500 mAh Li-ion battery charged via the popular USB-C port (cable not included).

ORNO GROUP Sp. z o. o. All rights reserved.

The product offers two types of lighting in five modes: warm light (2000K) - high, medium and low modes, and cold light (6000K) - high and low modes. Warm light creates a cosy, relaxing atmosphere perfect for summer evenings, while cold light provides brighter, more focused lighting, useful in situations requiring good visibility. The device achieves a luminous flux of up to 200 lm and a lighting range of up to 50 metres.

The model is equipped with a practical carabiner, allowing it to be hung anywhere or attached to a rucksack. The rubber cover not only makes the product resemble a lantern but also protects the lampshade and reflects the light.

The construction is made of durable plastic. The flashlight has IPX4 protection rate, making it splash-proof and suitable for outdoor use. Compact dimensions - ⌀34 (70 mm with cover) x 127 mm make it easy to transport and store.

The product is sold as a display of 12 pieces.

TECHNICAL DATA

General information:

Lamp type:	LED, niewymienne
Power [W]:	3
Luminous flux [lm]:	200
Power type:	Akumulator Li-ion
Battery capacity [mAh]:	500
Battery type:	Akumulator zainstalowany na stałe
Number of batteries:	1
With batteries:	tak
Number of light modes:	5
Modes of operation:	Światło ciepłe: tryb mocny, tryb średni, tryb słaby; światło zimne: tryb mocny, tryb słaby
Rechargeable:	tak
Light range [m]:	50
Color temperature [K]:	2000/6000
Color rendering index Ra/CRI:	70
Lifespan L70/B50 [h]:	20000

ORNO GROUP Sp. z o. o. All rights reserved.

Number of switching cycles:	20000
Degree of protection (IP):	IPX4
Impact protection IK (shock resistance):	IK03
Model:	Turystyczne i survivalowe
Material:	Tworzywo sztuczne
Colour housing:	Szary
Length/height [mm]:	127
Width [mm]:	34(70)
Weight total [g]:	75
The ports:	USB-C
Accessories:	Gumowa osłonka
Additional information:	Karabińczyk
Rechargeable:	tak
With light source:	tak

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.