

## **DS-PDEBP1-EG2-WE** **Wireless Portable Emergency Button**



- Accidental press protection
- Fully remote configurable through APP
- IP66 daily environment protection
- Frequency hopping against jamming for reliable transmission
- Optional lanyard and wristband accessory available

## ▪ Specification

| Feature                        |                               |
|--------------------------------|-------------------------------|
| Button                         | 1                             |
| Tamper Protection              | None                          |
| Signal Strength Indicator      | Support                       |
| Interface                      |                               |
| LED Indicator                  | Red/Green                     |
| Transmission                   |                               |
| Transmission Technology        | Tri-X Wireless                |
| Transmission Method            | Two-Way RF Wireless           |
| Transmission Frequency         | 868MHz                        |
| Transmission Security          | Support                       |
| Transmission Range(Free Space) | 1Km                           |
| Frequency Hopping              | Support                       |
| Enrolling Method               | Power up,Remote ID,QR Code    |
| Electrical Characteristics     |                               |
| Standard Battery Life          | Up to 3 years (standby time)  |
| Power Supply                   | Battery powered               |
| Battery Type                   | CR2035 x 1                    |
| Typical Voltage                | 3V                            |
| General                        |                               |
| Operation Temperature          | -10°C to 55°C (14°F to 131°F) |
| Storage Temperature            | -20°C to 60°C (-4°F to 140°F) |
| Operation Humidity             | 10% to 90%                    |
| IP Rate                        | IP66                          |
| Dimension(WxHxD)               | φ38 × 12mm                    |
| Weight                         | 13.5 g                        |
| Application Scenario           | Portable                      |

## ▪ Available Model

DS-PDEBP1-EG2-WE

## ▪ Accessory

### ▪ Optional

**DS-PDB-IN-Wristband**



# See Far, Go Further



[www.hikvision.com](http://www.hikvision.com)  
[support@hikvision.com](mailto:support@hikvision.com)

